


FALL 2022 PIVOT PARTS & WIRE



PURVEYORS OF THE FINEST IRRIGATION SUPPLIES



PIVOT DRIVELINE COMPONENTS



HELICAL CENTER DRIVES

| PART# | DESCRIPTION | LIST |
|------------|--------------------|--------|
| 1014814250 | 34 RPM 50:1 3/4 HP | 554.05 |
| 1014814251 | 43 RPM 40:1 3/4 HP | 554.05 |
| 1014814252 | 57 RPM 30:1 1.5 HP | 594.90 |
| 1014814253 | 68 RPM 25:1 1.5 HP | 594.90 |
| 1014814254 | 86 RPM 20:1 1.5 HP | 594.90 |

- Inverter Duty, VFD Suitable
- Improved Water-tight Seal
- Heat-dissipating, Finned Frame
- Thermally Protected
- Greater Load Bearing Capacity



STATOR ASSEMBLY

| PART# | DESCRIPTION | LIST |
|------------|----------------|--------|
| 1015814350 | V-STYLE 3/4 HP | 313.00 |
| 1015814351 | L-STYLE 3/4 HP | 313.00 |
| 1015814352 | V-STYLE 1.5 HP | 340.50 |
| 1015814353 | L-STYLE 1.5 HP | 340.50 |

- Inverter Duty, VFD Suitable
- Improved Water-tight Seal
- Heat-dissipating, Finned Frame
- Thermally Protected
- Two Styles — Fits Most Common Gears

US MOTORS



GEAR MOTOR MODULES

| PART # | DESCRIPTION | LIST |
|------------|----------------|--------|
| 1015105050 | 1 HP Splined | 568.90 |
| 1015105051 | 1.5 HP Splined | 591.80 |

- Top quality gear motors from the most experienced American manufacturer of center pivot gearmotors
- Designed to operate in extreme environments, the gear motor has a corrosion resistant housing and incorporates an inherent overload protection of the motor
- Simplicity, flexibility and reliability
- All motors are factory tested before packaging
- Maximum quality control



GEAR MOTORS

| PART # | DESCRIPTION | LIST |
|------------|--------------------|----------|
| 1014105040 | 56 RPM 31:1 1.5 HP | 849.90 |
| 1014105042 | 30 RPM 58:1 1 HP | 741.65 |
| 1014105043 | 37 RPM 47:1 1 HP | 840.05 |
| 1014105044 | 45 RPM 39:1 1 HP | 1,093.35 |
| 1014105045 | 84 RPM 21:1 1.5 HP | 1,277.10 |

- 460/380 Volt, 3-phase, 60/50Hz
- Special Corro-Guard insulation for longer motor life
- Stainless steel motor frame for corrosion resistance
- Motor is thermally protected
- Splined motor/gearbox design



NEMA 56C MOTOR

| PART # | DESCRIPTION | LIST |
|------------|----------------|--------|
| 1015105044 | 1750 RPM 1 HP | 395.10 |
| 1015105045 | 1750 RPM 1.5HP | 395.10 |

- Fits on any NEMA 56C flanged center drive gearbox
- Stainless steel motor frame for corrosion resistance
- Corro-Guard insulation for longer motor life
- Motor is thermally protected

PIVOT DRIVELINE COMPONENTS



GEARBOX STANDARD

| PART# | DESCRIPTION | LIST |
|------------|------------------|--------|
| 1011814150 | 50:1 Short Shaft | 543.35 |
| 1011814151 | 52:1 Long Shaft | 550.00 |

- API cartridge input/output seals
- Oversized bearings on input shaft to handle higher loads
- Universal bolt mounting pattern
- 2-1/4" (5.72 cm) high strength steel output & input shaft
- Filled with premium GL5 Mobile® Gear Oil
- Premium tapered bearings
- Ductile iron input shaft end caps
- Designed to withstand 11,500# tower weight, with 60% on one wheel



GEARBOX SUPER DUTY

| PART# | DESCRIPTION | LIST |
|------------|------------------|--------|
| 1011814250 | 50:1 Short Shaft | 605.65 |
| 1011814252 | 52:1 Long Shaft | 615.65 |

- Oversized gears, bearings & housing for extreme field conditions
- Dual input shafts made from hot forged steel
- 2-1/2" high alloy steel output shaft
- Filled with Premium GL5 Gear Mobile® Oil
- Cartridge type seals on input & output shafts
- Vented external expansion chamber with rubber diaphragm



GEARBOX BRONZE

| PART# | DESCRIPTION | LIST |
|------------|------------------|--------|
| 1011814350 | 50:1 Short Shaft | 748.45 |
| 1011814352 | 52:1 Long Shaft | 767.90 |

- Designed for corner arms, linear carts and heavy spans
- Bronze bull gear with steel alloy worm gear
- API cartridge input/output seals
- Oversized bearings on input shaft to handle higher loads
- 2-1/4" (5.72 cm) high strength steel input/output shaft
- Premium tapered bearings

Sprinkler Lube



SPRINKLER LUBE®

| PART# | DESCRIPTION | LIST |
|------------|-------------|----------|
| 4011511005 | 35# Pail | 479.20 |
| 4011511004 | 120# Keg | 1,892.70 |
| 4011511006 | 400# Drum | 4,906.35 |

- Superior anti-wear protection
- Excellent extreme pressure protection against gear scoring
- Superior rust and corrosion protection
- Less oil leakage
- Water resistance
- Longer seal life

PIVOT DRIVELINE COMPONENTS

Raven-Smart
Technology of Modern Design™



BLACK MAX™ UNIVERSAL HEAVY DUTY DRIVELINE COUPLER

BLACK MAX™

| PART # | BOX/PLT | LIST |
|------------|---------------|-------|
| PDLTTBM | 8/400 | 31.60 |
| PDLDISC-BM | In-Flex™ Disc | 6.65 |
| PDLTTBM-SL | Shaft Lock | 6.10 |

- Die-cast anodized aluminum body coupled with an In-Flex Disc adds the strength and flexibility that is ideal for today's mechanized irrigation systems with large tires, 4x4 corner machines and corner-steering gear boxes
- In-Flex™ Thermoplastic Disc is 30% more flexible than the competitive brands
- In-Flex™ technology keeps gear boxes and centerdrives running longer
- Pre-Assembled for easy 9/16" wrench installation
- Universal Design – Fits 3/4", 7/8" and 1" square shafts
- Fits under most driveline covers for maximum safety



X-SPANDABLE™ EXPANDABLE DRIVE LINE

COMPLETE

| PART # | SIZE | LIST |
|-----------|-----------------|--------|
| PDLEXP-L | Large Disc | 109.05 |
| PDLEXP-S | Small Disc | 101.60 |
| PDLEND-L | Large End Only | 9.65 |
| PDLDISC-L | Large Disc Only | 15.80 |

- X-Spandable™ drive line systems with Super Flex Disc
- Super Flex Discs outperform rubber
- Zinc plated finish with heavy duty telescoping design
- Small disc fits under most pivot manufacturer's driveline covers
- Quickly attaches with two bolts



V-BOLT UNIV. U-JOINT

| PART # | BOX QTY. | LIST |
|---------|----------|-------|
| PDLVBLT | 12 | 22.20 |

Quickly attaches to both 3/4" and 7/8" shafts
(With Super Flex Disc)



BELL ENDS & SHAFT SHIELDS

| PART # | | LIST |
|------------|----------------|------|
| 1012210006 | Bell Gray 7/8" | 3.80 |
| 1012210001 | Shield 54" | 6.30 |
| 1012210002 | Shield 60" | 4.05 |
| 1012210003 | Shield 70" | 5.05 |



ALUM. DRIVE COUPLER

| PART # | | LIST |
|------------|------------------------|-------|
| 730-1R1S | 1" Round x 1" Square | 30.30 |
| 730-1R7/8S | 1" Round x 7/8" Square | 30.30 |
| 730-1R3/4S | 1" Round x 3/4" Square | 30.30 |
| 1017953100 | 1" x 7/8" Square | 16.55 |

PIVOT TIRES



CENTER PIVOT TIRE ASSEMBLIES

| PART # | SIZE | TREAD | PLY | WHEEL | HOLES | LIST |
|----------------------|-------------|-----------------|--------|-----------|-------|------|
| 11.2X24ND | 11.2" X 24" | Non Directional | 8 | 8" X 24" | 8 | Call |
| 14.9X24LH | 14.9" X 24" | Left | 6,8 | 10" X 24" | 8 | |
| 14.9X24RH | 14.9" X 24" | Right | 6,8 | 10" X 24" | 8 | |
| 14.9X24ND | 14.9" X 24" | Non Directional | 6,8 | 10" X 24" | 8 | |
| 11.2X38LH | 11.2" X 38" | Left | 6,8,10 | 10" X 38" | 8 | |
| 11.2X38RH | 11.2" X 38" | Right | 6,8,10 | 10" X 38" | 8 | |
| 11.2X38ND | 11.2" X 38" | Non Directional | 6,8,10 | 10" X 38" | 8 | |
| NON-PNEUMATIC | | | | | | |
| 8073348120 | 11.2" x 38" | Directional | | 10" x 38" | | |
| 8073348121 | 1.2" x 38" | Non Directional | | 10" x 38" | | |



TIRES

| PART # | PLY | BRAND | LIST |
|-------------|-----|----------|------|
| TIRE11.2X24 | 8 | Deestone | Call |
| TIRE14.9X24 | 6 | Deestone | |
| TIRE14.9X24 | 8 | Alliance | |
| TIRE11.2X38 | 6 | Rainmax | |
| TIRE11.2X38 | 6 | Alliance | |
| 11R22.5 | | Recap | |
| 11R24.5 | | Recap | |



BUTYL TUBES

| PART # | SIZE | LIST |
|-------------|-----------|------|
| TUBE11.2X24 | 11.2 x 24 | Call |
| TUBE14.9X24 | 14.9 x 24 | |
| TUBE11.2X38 | 11.2 x 38 | |

RIM REPAIR RING

| PART # | SIZE | LIST |
|--------|-------------|-------|
| PVTRNG | Univ. 8 Lug | 43.45 |



WHEELS

| PART# | DESCRIPTION | LIST |
|---------|---------------------------------|------|
| WH8X24 | 8 Hole Galv. w/Valve guard | Call |
| WH10X24 | 8 Hole Galv. w/Valve guard | |
| WH12X24 | 8 Hole Galv. w/Valve guard | |
| WH10X38 | Double Disc Galv. w/Valve Guard | |

PIVOT CONTROLS



2000 MAIN CONTROL PANEL

| PART # | DESC. | LIST |
|------------|---------------------------|----------|
| 3048300380 | Basic | 2,756.25 |
| Options | | |
| 2034732002 | Low Temp Shutdown | 180.10 |
| 3052300602 | Low Pressure Shutdown | 137.85 |
| 3052300603 | Auto Restart | 124.95 |
| 3052300606 | Auto Start/Shutdown | 358.35 |
| 3052300690 | Stop in Slot | 192.95 |
| 3052300820 | Auto Reverse End of Pivot | 560.45 |

- Panel – 24" x 20" x 11.5" UL Approved
- Hour meter
- Switches: forward/reverse, wet/dry, pump control, auto reverse, end gun and heavy duty disconnect
- 3-1/2" voltmeter, 0-600 volts
- Additional inner door lock
- Powder coated, baked epoxy enclosure

2300 MAIN CONTROL PANEL

| PART # | DESC. | LIST |
|------------|---------------------------|----------|
| 3048300360 | Basic | 2,848.15 |
| Options | | |
| 2034732002 | Low Temp Shutdown | 180.10 |
| 3052300602 | Low Pressure Shutdown | 137.85 |
| 3052300603 | Auto Restart | 124.95 |
| 3052300606 | Auto Start/Shutdown | 358.35 |
| 3052300690 | Stop in Slot | 192.95 |
| 3052300820 | Auto Reverse End of Pivot | 560.45 |

- Panel – 32" x 20" x 11.5" UL Approved
- Hour meter
- Switches: forward/reverse, wet/dry, pump control, auto reverse, end gun and heavy duty disconnect
- 3-1/2" voltmeter, 0-600 volts
- Additional inner door lock
- Powder coated, baked epoxy enclosure
- 2 additional auxiliary switches
- End tower indicator light

2300V MAIN CONTROL PANEL

| PART # | DESC. | LIST |
|------------|-----------------------|----------|
| 3048300367 | Basic | 3,031.90 |
| Options | | |
| 2034732002 | Low Temp Shutdown | 180.10 |
| 3052300622 | Low Pressure Shutdown | 137.85 |
| 3052300623 | Auto Restart | 124.95 |
| 3052300626 | Auto Start/Shutdown | 358.35 |

- Panel – 32" x 20" x 11.5" UL Approved
- The HYDRUS 2300V is designed to work with all existing pivot safety systems.
- Familiar internal electrical components and wiring layout
- Volt and hour meters
- Switches: forward/reverse, wet/dry, auto end gun, start/stop and pump control
- Integrated V-style auto-stop/auto-reverse
- 3-second delay circuit boards included



V-STYLE CONTROL BOARDS

| PART # | DESC. | LIST |
|------------|---|--------|
| 2021806010 | PCB, 3 Second Safety Delay, Valley Style | 91.90 |
| 2021806011 | PCB, Auto Stop, Auto Reverse Socket Board, Valley Style | 101.10 |


Three-Second Delay Board and Auto-Stop, Auto-Reverse Board are easily installed in most control panels. As OEM replacements, they have a familiar wiring layout and electrical components.



COLLECTOR RING

| PART # | DESC. | LIST |
|------------|------------------------|--------|
| 3022300101 | 10 with Aluminum Cover | 459.40 |
| 3022300111 | 11 with Aluminum Cover | 468.60 |

- Specially designed cover latches
- UL listed
- Large copper brushes are 80% copper and 20% graphite for less resistance
- Wires are numbered and/or color coded for easy identification
- Greaseable Zerk fitting in the base stops shaft seizure




CONDUCTIX COLLECTOR RING


| PART # | DESC. | LIST |
|------------|--------------|--------|
| 3022812002 | 10 Conductor | 486.95 |
| 3022812001 | 11 Conductor | 496.15 |

- Tough ABS molded cover and base
- Copper Alloy Rings
- Durable Fiberglass-reinforced nylon ring insulators
- Large brush lead terminal block
- Pre-stripped ring leads
- Durable bronze oilite upper bearing
- Unitized brush carriage
- Copper graphite brushes
- Hardened aluminum lower bearing


PIVOT TOWER BOXES




INTERMEDIATE



STALL BOX



END BOX




END / BOOSTER

V-STYLE TOWER BOXES

| PART # | DESCRIPTION | LIST |
|---------------------------|----------------------------------|--------|
| 3049300103 | Intermediate Tower Box | 303.20 |
| 3049300203 | Stall Tower Box | 477.75 |
| 3049300303 | End Tower Box | 248.10 |
| 3049300403 | End Tower/Booster Pump Tower Box | 882.00 |
| 3049300503 | Junction/Splice Tower Box | 137.85 |
| 3049300803 | Auto Stop/Auto Reverse Tower Box | 275.65 |
| 3049722013 | Tower Box Lid Only with Latches | 36.75 |
| Conversion kits available | | |




INTERMEDIATE



STALL BOX



END BOX



BOOSTER

Z-STYLE TOWER BOXES

| PART # | DESCRIPTION | LIST |
|------------|-------------------------------|--------|
| 3061300102 | Intermediate Tower Box | 294.00 |
| 3061300202 | Stall Tower Box | 468.60 |
| 3061300302 | End Tower Box | 238.90 |
| 3061300505 | Booster Box with Press Switch | 569.65 |
| 3061300502 | Booster Pump Tower Box | 459.40 |
| 3061300700 | End/Booster Combo | 615.60 |

ELECTRICAL PARTS



2024778010



2024778020



2024697007



2024819101

HYDRUS CONTACTORS

| PART # | DESC. | LIST |
|------------|------------------------|-------|
| 2024778010 | 3-Pole 30 Amp | 29.40 |
| 2024778020 | 4-Pole 40 Amp | 51.45 |
| 2024778030 | 3-Pole 40 Amp Reverser | 88.20 |

- Compact size
- Quiet operation
- Interchangeable mounting
- Optional din rail mounting
- Meets ARI – 782, UL C5AM CE
- 500,000 endurance life cycle tested

CONTACTORS

| PART # | DESCRIPTION | LIST |
|------------|---|-------|
| 2024697007 | Schneider IEC 3-Pole 9 Amp 120v Coil 1 NO + 1 NC | 44.10 |
| 2024697008 | Schneider IEC 3-Pole 12 Amp 120v Coil 1 NO + 1 NC | 51.45 |
| 2024740009 | Eaton DP 3-Pole 25 Amp 120v Coil | 55.15 |
| 2024819101 | Eaton DP 3-Pole 30 Amp 120v Coil | 27.25 |



2024697009



2024819101

REVERSING CONTACTORS

| PART # | DESCRIPTION | LIST |
|------------|---|--------|
| 2024697009 | Schneider IEC 25 Amp 15 HP Din Rail Mount 1 NO + 1 NC | 205.80 |
| 2024697010 | Schneider IEC 32 Amp 20 HP Din Rail Mount 1 NO + 1 NC | 224.20 |
| 2024230203 | 30 Amp 4-Pole 120V Coil with reversing Mechanical Interlock | 266.45 |



HOURLMETER AND VOLTMETER

| PART # | DESC. | LIST |
|------------|---------------------|-------|
| 2028737001 | Hourmeter | 47.80 |
| 2045211002 | 0-600 Volts, 3 1/2" | 66.15 |
| 2045211001 | 0-600 Volts, 2 1/2" | 62.50 |



OVERWATERING TIMERS

| PART # | DESCRIPTION | LIST |
|------------|---|--------|
| 2041695005 | Timer, Overwatering (Stall) 0-60 Min. Solid State Standard Start | 156.20 |
| 2041695004 | Timer, Overwatering (Stall) 0-60 Min. Solid State Reverse Start | 156.20 |
| 2041695006 | Timer, Overwatering (Stall) 0-30 Min. Solid State Reverse Start | 151.60 |
| 2041695007 | Timer, Overwatering (Stall) 0-5 Min. Solid State Reverse Start | 137.85 |
| 2041726005 | Timer, Overwatering, Macromatic .6-60 Min. 120VAC 10 Amp SPDT with Memory | 119.45 |



PERCENTAGE TIMERS

| PART # | DESC. | LIST |
|------------------|-----------|--------|
| Eagle Brand | | |
| 2041695101 | 30 Second | 124.95 |
| 2041695102 | 60 Second | 91.90 |
| Macromatic Brand | | |
| 2041726002 | 60 Second | 110.25 |

ELECTRICAL PARTS



2031241002 2031241004 2031270001

MICROSWITCHES



TOWER DISCONNECT SWITCH


| PART # | DESC. | LIST |
|------------|-----------------|-------|
| 2035724001 | L-Style/V-Style | 24.85 |

| PART # | DESCRIPTION | LIST |
|------------|--|-------|
| 2031241001 | Short Arm Adjustable | 19.15 |
| 2031241002 | Long Arm Black Body Lindsay Style | 17.40 |
| 2031241005 | Long Arm Brown Body Lindsay Style | 17.40 |
| 2031241003 | Short Arm Adjustable Black Body Valley Style | 15.60 |
| 2031241004 | Short Arm Adjustable Brown Body Valley Style | 15.60 |
| 2031270001 | Short Arm Wire Alignment Lockwood | 41.05 |
| 2031241007 | Non-Wire Alignment Lockwood | 45.05 |
| 2031241009 | Long Arm Adjustable Lindsay Style | 30.35 |




END TOWER LIGHT KIT

| PART # | DESC. | LIST |
|------------|---------------|--------|
| 3020300600 | Standard | 156.85 |
| 3020300701 | Strobe Amber | 330.75 |
| 3020300702 | Strobe Blue | 330.75 |
| 3020300703 | Strobe Clear | 330.75 |
| 3020300704 | Strobe Green | 330.75 |
| 3020300705 | Strobe Purple | 330.75 |
| 3020300706 | Strobe Red | 330.75 |



TOGGLE SWITCHES

| PART # | DESCRIPTION | LIST |
|------------|---|-------|
| 2042270001 | 2-Position On/Off SPST | 16.25 |
| 2042270002 | Maintain 2-Position On/On DPDT | 16.25 |
| 2042270003 | Spring Return DPDT 6 Amp Momentary Toggle | 39.05 |
| 2042270004 | 2-Position On/On DPDT | 33.10 |
| 2042270005 | 3-Position On/Off/On DPDT | 27.50 |
| 2042270006 | Rocker Switch DPDT Momentary On | 28.50 |



LIMIT SWITCHES

| PART # | DESCRIPTION | LIST |
|------------|---|--------|
| 2030241001 | 360° Rotary SPDT Alternate Action Switch Only | 224.20 |
| 2030241007 | Actuator Rod for Limit Swith 13" Radius S.S. | 25.35 |
| 2030241002 | Double Brake Side Rotary Style | 202.15 |
| 2030241003 | Whisker Style 5.5" | 238.90 |
| 2030241010 | Actuator Windmill (2-Spoke Style - 4 Halves) | 60.65 |
| 2030241005 | Acuator Rod Windmill (4-Spoke Style - 8 Halves) | 82.70 |



SOCKETS

| PART # | DESC. | LIST |
|------------|--------------------|-------|
| 2037270006 | 8 Pin 600V 10 Amp | 11.05 |
| 2037270002 | 11-Blade Din Rail | 15.00 |
| 2037270003 | 11-Pin 300V 10 Amp | 11.05 |

ELECTRICAL PARTS



2033200001 2033200002 2033200003 2033200004 2033203004 2033260003

PRESSURE SWITCHES

| PART # | DESCRIPTION | LIST |
|------------|--|--------|
| 2033200001 | 10-250 psi Barksdale | 139.65 |
| 2033260003 | 6-30 psi Adjustable Nason | 91.90 |
| 2033200002 | 0-90 psi Barksdale | 113.95 |
| 2033200003 | .5-15 psi Barksdale | 110.25 |
| 2033200004 | .5-15 psi Enclosed Barksdale | 202.15 |
| 2033200005 | 0-90 psi Manual Reset Barksdale | 284.85 |
| 2033200006 | 9.6-90 psi Manual Reset Enclosed Barksdale | 376.70 |
| 2033200007 | 0-250 psi Enclosed Barksdale | 284.85 |



ELECTRICAL ACCESSORIES

| PART # | DESC. | LIST |
|------------|--------------------------------------|-------|
| 202421001 | Surge Suppressor Universal | 3.95 |
| 3052300614 | Resistor/Capacitor/Diode Assembly | 28.05 |
| 2045727001 | Bridge Rectifier Semiconductor | 4.50 |
| 2027270050 | Ground Lug Solderless Alum. 2-14 AWG | 1.40 |
| 2027270051 | Ground Lug Bar 5-Point 4-14 | 2.80 |
| 2040740001 | Terminal Block 12-Pole | 18.30 |



RELAYS

| PART # | DESCRIPTION | LIST |
|------------|---|--------|
| 2034270005 | Latching Relay DPDT 120VAC 10 Amp 11-Blade Auto Reverse | 137.85 |
| 2034697001 | Power Relay GP DPDT 120VAC 30 Amp 50/60Hz | 45.95 |
| 2034697004 | Power Relay SPDT 24 VAC 25 Amp | 36.75 |
| 2034697003 | Power Relay SPDT 12 VAC 25 Amp | 73.50 |
| 2034697007 | Power Relay DPST 1 HP 120 VAC 25 Amp | 64.35 |
| 2034270009 | Relay General Purpose DPDT 120 VAC 600V | 36.75 |
| 2034270010 | Power Relay 3PDT 120VAC 10 Amp 11-Blade Plug-In | 27.60 |
| 2034270011 | Cube Relay DPDT 120V DC 10 Amp Enclosed 8-Blade | 55.15 |
| 2034270012 | Cube Relay DPDT 110V DC 10 Amp Plug-In 8-Blade 3 Second Delay | 45.95 |
| 2034742001 | Relay RBM SPDT 120V | 18.40 |
| 2034697006 | Kill Relay 120V 40 Amp SPDT | 45.95 |



MELNI SPLICE CONNECTORS

| PART # | DESC. | LIST |
|------------|-------------|-------|
| 9067450002 | #2 - #4 | 57.75 |
| 9067450001 | #1/0 - #2/0 | 63.55 |
| 9067450003 | #4/0 | 71.25 |

ELECTRICAL PARTS



FUSES

| PART # | DESC. | LIST |
|-----------------------------------|----------|------|
| FLQ Series 1-30 Amp 500V | | |
| 2026270031 | 1 Amp | 4.60 |
| 2026270035 | 2 Amp | 4.10 |
| 2026270036 | 3 Amp | 2.95 |
| 2026270037 | 3.2 Amp | 4.75 |
| 2026270038 | 4 Amp | 4.10 |
| 2026270039 | 5 Amp | 2.95 |
| 2026270040 | 6 Amp | 2.95 |
| 2026270041 | 7 Amp | 4.30 |
| 2026270042 | 8 Amp | 4.30 |
| 2026270043 | 10 Amp | 4.10 |
| 2026270044 | 12 Amp | 5.20 |
| 2026270045 | 15 Amp | 2.95 |
| 2026270046 | 20 Amp | 2.95 |
| 2026270047 | 25 Amp | 4.30 |
| 2026270048 | 30 Amp | 2.95 |
| FLSR Series 2-30 Amp 600V | | |
| 2026270051 | 3 Amp | 6.75 |
| 2026270052 | 4 Amp | 4.50 |
| 2026270053 | 5 Amp | 4.50 |
| 2026270054 | 6 Amp | 4.50 |
| 2026270055 | 8 Amp | 7.55 |
| 2026270056 | 10 Amp | 4.50 |
| 2026270057 | 12 Amp | 4.50 |
| 2026270058 | 15 Amp | 4.50 |
| 2026270059 | 17.5 Amp | 4.50 |
| 2026270060 | 20 Amp | 4.50 |
| 2026270061 | 25 Amp | 4.50 |
| 2026270062 | 30 Amp | 4.50 |
| FLSR Series 35-60 Amp 600V | | |
| 2026270063 | 35 Amp | 6.10 |
| 2026270064 | 40 Amp | 6.10 |
| 2026270065 | 45 Amp | 6.10 |
| 2026270066 | 50 Amp | 6.10 |
| 2026270067 | 60 Amp | 6.10 |

FUSES


| PART # | DESC. | LIST |
|-------------------------------------|---------|--------|
| FLSR Series 70-100 Amp 600V | | |
| 2026270069 | 70 Amp | 25.85 |
| 2026270070 | 80 Amp | 11.95 |
| 2026270071 | 90 Amp | 16.20 |
| 2026270072 | 100 Amp | 25.85 |
| FLSR Series 110-200 Amp 600V | | |
| 2026270073 | 110 Amp | 33.10 |
| 2026270074 | 125 Amp | 33.10 |
| 2026270075 | 150 Amp | 33.10 |
| 2026270076 | 175 Amp | 33.10 |
| 2026270077 | 200 Amp | 33.10 |
| FLSR Series 225-600 Amp 600V | | |
| 2026270078 | 250 Amp | 82.70 |
| 2026270079 | 300 Amp | 176.40 |
| 2026270080 | 350 Amp | 82.70 |
| 2026270081 | 400 Amp | 82.70 |
| 2026270082 | 600 Amp | 211.35 |
| CCMR Series 2-30 Amp 600V | | |
| 2026270001 | 1 Amp | 6.65 |
| 2026270002 | 2 Amp | 6.65 |
| 2026270004 | 3 Amp | 6.65 |
| 2026270005 | 4 Amp | 6.65 |
| 2026270006 | 5 Amp | 6.65 |
| 2026270007 | 6 Amp | 6.65 |
| 2026270008 | 7 Amp | 6.65 |
| 2026270009 | 8 Amp | 6.65 |
| 2026270010 | 10 Amp | 6.65 |
| 2026270011 | 12 Amp | 6.65 |
| 2026270012 | 15 Amp | 6.65 |
| 2026270014 | 20 Amp | 6.65 |
| 2026270015 | 25 Amp | 6.65 |
| 2026270016 | 30 Amp | 6.65 |
| Lightning Arrestor | | |
| 2029745001 | | 137.85 |
| 4-Wire 3-Phase 0-650V 36" Leads | | |

FUSES

| PART # | DESC. | LIST |
|------------------------------------|-------------------|--------|
| JTD Series 10-30 Amp 600V | | |
| 2026270135 | 10 Amp | 13.15 |
| 2026270083 | 12 Amp | 13.15 |
| 2026043001 | 15 Amp | 13.15 |
| 2026270136 | 17.5 Amp | 13.15 |
| 2026043002 | 20 Amp | 13.15 |
| 2026270134 | 25 Amp | 13.15 |
| 2026043003 | 30 Amp | 13.15 |
| JTD Series 35-60 Amp 600V | | |
| 202670085 | 35 Amp | 26.65 |
| 202670137 | 40 Amp | 26.65 |
| 202670086 | 45 Amp | 26.65 |
| 202670087 | 50 Amp | 26.65 |
| 202670088 | 60 Amp | 26.65 |
| JTD Series 70-100 Amp 600V | | |
| 2026270089 | 70 Amp | 51.45 |
| 2026270131 | 80 Amp | 51.45 |
| 2026270090 | 90 Amp | 51.45 |
| 2026270091 | 100 Amp | 51.45 |
| JTD Series 125-200 Amp 600V | | |
| 2026270092 | 125 Amp | 101.10 |
| 2026270093 | 150 Amp | 101.10 |
| 2026270095 | 175 Amp | 101.10 |
| 2026270096 | 200 Amp | 101.10 |
| Fuse Holders | | |
| 2023270124 | 3-Pole Class M | 11.05 |
| 2023270125 | 2-Pole Class M | 9.20 |
| 2023270126 | 3-Pole Class CC | 15.65 |
| 2023270127 | 3-Pole Class CC | 12.40 |
| Transformers | | |
| 2044230001 | 9T58 IP C AND C | 233.35 |
| 2044270002 | Class 2 Door Bell | 97.30 |
| | Style, 20VA | |
| 2044270002 | Class 2 Door Bell | 54.05 |
| | Style, 12VA | |

SABER TOUGH™ WIRE SPECIALTY UD CABLE 600V

SABER TOUGH
WIRE™



SABER TOUGH™

| PART # | CONTROL | 3/C PHASE AWG | NEUTRAL AWG | MASTER LENGTH | OUTER PVC JACKET | OUTER DIAMETER | WEIGHT LBS/MFT |
|-----------|---------|---------------|-------------|---------------|------------------|----------------|----------------|
| STC44 | | 4 | 4 | 5000 | 50 | 1.07 | 544 |
| STC24 | | 2 | 4 | 5000 | 50 | 1.18 | 667 |
| STC04 | | 1/0 | 4 | 4000 | 50 | 1.40 | 922 |
| STC002 | | 2/0 | 2 | 4000 | 50 | 1.52 | 1088 |
| STC00002 | | 4/0 | 2 | 4000 | 60 | 1.78 | 1494 |
| STC350 | | 350 | 2/0 | 2000 | 60 | 2.20 | 2262 |
| STC500 | | 500 | 2/0 | 1500 | 75 | 2.52 | 2979 |
| STC44212 | 2 # 12 | 4 | 4 | 5000 | 50 | 1.11 | 608 |
| STC24212 | 2 # 12 | 2 | 4 | 5000 | 50 | 1.25 | 733 |
| STC04212 | 2 # 12 | 1/0 | 4 | 4000 | 50 | 1.55 | 991 |
| STC002212 | 2 # 12 | 2/0 | 2 | 4000 | 60 | 1.68 | 1141 |

Construction

Conductor: Three or four type UD Compact stranded 1350-H19 series aluminum conductors.

Insulation: Color coded cross-linked polyethylene.

Neutral: XLP insulated AL-1350 neutral.

Control Conductors: Twisted pair of solid or stranded copper conductors with xlp insulation

Assembly: Filled with non-hydroscopic material to conform round shape


Armor: Double open lapping steel tape armor applied over assembly

Jacket: Black polyvinyl chloride Jacket


Color code: Insulated conductors Black phase identified Insulated neutral is black with yellow stripe

Control conductors color coded per ICEA 1 E1

Specifications: Meets or exceeds the requirements of UL 854 ICEA S-105-692, and ASTM B230 & B231




CABLE IN CONDUIT - POWER DUCT



600 VOLT SUPERFLEX™ ALUMINUM XLPE USE-2

| PART # | DESCRIPTION | LENGTH | WEIGHT/1000FT | CUT | MASTER |
|--------|---------------------------------|-----------|---------------|-----|---------|
| 310233 | 3/4" TC7 2#12 Cu THHN | 6000 | 148 | | Call |
| 310280 | 3/4" TC7 7#12 Cu THHN | 6000 | 268 | | For |
| 330003 | 1.25" TC7 4#4 | 6000 | 492 | | Pricing |
| 330004 | 1.25" TC7 4#4 2#12 Cu THHN | 6000 | 542 | | |
| 330020 | 1.25" TC7 4#4 7#12 Cu THHN | 6000 | 667 | | |
| 330185 | 1.25" TC7 3#2 1#4 | 6000 | 576 | | |
| 330017 | 1.25" TC7 3#2 1#4 2#12 Cu THHN | 6000 | 636 | | |
| 330106 | 1.25" TC7 3#2 1#4 7#12 Cu THHN | 6000 | 756 | | |
| 330008 | 1.5" TC7 3#1/0 1#4 | 4500 | 813 | | |
| 330009 | 1.5" TC7 3#1/0 1#4 2#12 Cu THHN | 4500 | 863 | | |
| 330013 | 2" TC7 3#2/0 1#2 | 3000 | 1106 | | |
| 330021 | 2" TC7 3#2/0 1#2 2#12 Cu THHN | 3000 | 1149 | | |
| 320803 | 2" TC7 3#4/0 1#2 | 3000/3600 | 1364 | | |
| 330014 | 2" TC7 3#4/0 1#2 2#12 Cu THHN | 3000 | 1406 | | |
| 330053 | 2.5" TC7 3#250 1#1/0 | 1500/2000 | 1870 | | |
| 330096 | 2.5" TC7 3#350 1#2/0 | 1500/2000 | 2220 | | |
| 330200 | 3" TC7 3#500 1#2/0 | 1500/1800 | 2919 | | |

SCHEDULE 40 UL LISTED DUCT



600 VOLT SUPERFLEX™ ALUMINUM XLPE USE-2

| PART # | DESCRIPTION: 600V AL XLPE | LENGTH | WEIGHT/1000FT | CUT | MASTER |
|--------|--------------------------------------|--------|---------------|-----|---------|
| 330036 | 1.25" SCH 40 4#4 | 6000 | 564 | | Call |
| 330023 | 1.25" SCH 40 4#4 & 2#12 Cu THHN | 6000 | 614 | | For |
| 330138 | 1.25" SCH 40 3#2 1#4 | 6000 | 676 | | Pricing |
| 330196 | 1.25" SCH 40 3#2 1#4 & 2#12 Cu THHN | 6000 | 751 | | |
| 330065 | 1.5" SCH 40 3#1/0 1#4 | 4500 | 875 | | |
| 330047 | 1.5" SCH 40 3#1/0 1#4 & 2#12 Cu THHN | 4500 | 926 | | |
| 330090 | 2" SCH 40 3#2/0 1#2 | 3000 | 1130 | | |
| 330136 | 2" SCH 40 3#4/0 1#2 | 3000 | 1388 | | |

QUAD DIRECT BURY - SUPERFLEX



600 VOLT SUPERFLEX™ ALUMINUM XLPE USE-2

| PART # | DESCRIPTION: 600V AL XLPE | LENGTH | WEIGHT/1000FT | CUT | MASTER |
|----------|-----------------------------|--------|---------------|-----|---------|
| 20127272 | Tulsa 4#4 AL XLP | 6000 | 263 | | Call |
| 20127270 | Dyke 3#2 1#4 AL XLP | 6000 | 350 | | For |
| 20127271 | Notre Dame 3#1/0 1#2 AL XLP | 6000 | 544 | | Pricing |
| 20129499 | Syracuse 3#2/0 1#2 AL XLP | 3000 | 660 | | |
| 20127289 | Wake Forest 3#4/0 1#2/0 | 3000 | 986 | | |
| 20127279 | Rust 3#250 1#3/0 | 1500 | 1149 | | |
| 20127253 | Slippery Rock 3#350 1#4/0 | 1500 | 1503 | | |
| 20127290 | Wofford 3#500 1#350 | 1500 | 2129 | | |



SPAN AND MOTOR LEAD CABLE

| PART # | DESCRIPTION | O.D. | Weight per 1000' | List |
|----------|-----------------------------------|------|------------------|---------|
| 050775 | Span Cable 4#12 and 7#14 Shielded | .74 | 317 | Call |
| 050769 | Span Cable 4#10 and 6#14 Shielded | .78 | 366 | For |
| 20264319 | Span Cable 4#10 and 7#14 Shielded | .76 | 400 | Pricing |
| 20264312 | Motor Lead 4#14 Shielded | .52 | 132 | |
| 376148-S | 2#12 Solid UF-B | .3 | 81 | |
| 376528 | 2#12 Stranded UF-B | .3 | 84 | |
| 340669 | 7#12 | .61 | 224 | |
| 340668 | 7#14 | .52 | 161 | |



SHUR-LOCK™ II COUPLER-ETL LISTED UL-514B

| PART # | DESCRIPTION | Nom. Tensile Strength | Length | List |
|--------|--------------------------|-----------------------|--------|------|
| SLC125 | 1 1/4" Shur-lock Coupler | 700 | 5.7" | Call |
| SLC150 | 1 1/2" Shur-lock Coupler | 700 | 5.7" | |
| SLC200 | 2" Shur-lock Coupler | 700 | 5.7" | |
| SLC250 | 2 1/2" Shur-lock Coupler | 700 | 5.7" | |
| SLC300 | 3" Shur-lock Coupler | 700 | 5.7" | |

PIVOT BOOSTER PUMPS AND COMPONENTS



BP2HP-U
UMC

2 HP PIVOT BOOSTER PUMP 2 1/2" SUCTION X 2" DISCHARGE

XCAD BOOSTER PUMPS

- 2-HP TEFC Thermally Protected
- 130 GPM
- Stainless Steel Impeller
- Built in the USA

BP2HP-B
Bluffton Domestic



| PART # | DESCRIPTION | LIST |
|-------------|-------------------------------|----------|
| BP2HP-UMC | UMC Motor | 1,132.00 |
| BP2HP-B | Bluffton Motor | 1,066.00 |
| BP2HPWOVC-U | UMC Less Volute | 1,088.00 |
| BP2HPBWOVC | Bluffton Domestic Less Volute | 1,019.00 |
| 6000013106 | Berkley Model C2MPS | 1,607.85 |



IRRIGATION BOOSTER PUMP MOTORS

MOTOR ONLY

| PART # | LIST |
|----------|--------|
| BPM2HP-U | 851.00 |
| BPM2HP-B | 786.00 |

| SPECIFICATIONS | | Insulation Class | F4 |
|----------------|-------------|------------------|-----------|
| Leeson Model | #112991 | Service Factor | 1.5 |
| Bluffton Model | #1313007404 | Hertz | 60 |
| Leeson Frame | 56CZ | RPM | 3450 |
| Bluffton Frame | 56J | Volts | 460 |
| Phase | Three | Bearings | 6203/6205 |

XCAD BOOSTER PUMP COMPONENTS



| PART # | DESCRIPTION | LIST |
|--------------|--------------------------|--------|
| BPVC | Volute Case | 149.30 |
| BPMBKT | Motor Bracket | 138.55 |
| BPIMP-SS | Stainless Steel Impeller | 159.50 |
| BPMGSKT | Mylar Motor Gasket | 3.85 |
| BPCGSKT | Paper Motor Case Gasket | 3.85 |
| BPIMPSPC-UMC | Impeller Spacer UMC | 3.85 |
| BPIMPSPC3 | Impeller Spacer Bluffton | 3.85 |
| BPSEAL | Shaft Seal | 24.65 |



All parts interchangeable with Berkley model #C2MPS Booster Pump

END OF PIVOT SPRINKLERS



X100 END GUN™ THUNDERBOLT™

| PART # | DESCRIPTION | |
|----------------------------------|---------------------------|--------|
| X10018 | 18° Nozzle Range .4" - 1" | 856.00 |
| X10024 | 24° Nozzle Range .4" - 1" | 856.00 |
| X10043 | 43° Nozzle Range .4" - 1" | 856.00 |
| Details Sprinkler Section page 7 | | |



X100 END GUN™ THUNDERBOLT™

| PART # | DESCRIPTION | |
|----------------------------------|---|----------|
| X10018SS | Stainless Steel 18° Nozzle Range .4" - 1" | 1,219.00 |
| X10024SS | Stainless Steel 24° Nozzle Range .4" - 1" | 1,219.00 |
| Details Sprinkler Section page 7 | | |



AXIS™ END OF PIVOT SPRINKLER

| PART # | DESCRIPTION | |
|-----------------------------------|---------------------------|--------|
| AXIS | Viscous Bearing Sprinkler | 116.00 |
| Details Sprinkler Section page 11 | | |



AXIS-II™ END OF PIVOT SPRINKLER

| PART # | DESCRIPTION | |
|-----------------------------------|----------------------|--------|
| AXIS-II | New 'V-Torque' Motor | 145.50 |
| Details Sprinkler Section page 12 | | |

DETAILS SEE SPRINKLER SECTION

SEAL MATIC PIVOT END GUN VALVES


WITH RAVEN SMART™ DIAPHRAGM TECHNOLOGY




FEATURES:

- DUCTILE IRON BODY AND BONNET WITH 1/4" PORTING
- BRASS AUTO-DRAIN INCLUDED WITH PEG MODEL
- ONE DIAPHRAGM FOR ALL WORKING PRESSURES
- 200 PSI MAX WORKING PRESSURE
- EASY IN-PLACE MAINTENANCE
- PRESSURE SUSTAINING AND PRESSURE REDUCING VALVES COME WITH P-6000 PILOT
- SMVX100PEG IS INTERCHANGEABLE WITH AQUA BURST™ X-100 AND NELSON™ SR100 AND SR75

BUILT IN THE USA OF FOREIGN AND DOMESTIC PARTS • 5-YEAR DIAPHRAGM GUARANTEE



2" Straight and 2" 90° Seal Matic™ Valves



Cv = 2" 90° = 110

Cv = 2" Str = 90

Seal Matic valves are only guaranteed to perform optimally in accordance with the size and model of each valves performance chart in standard irrigation use and practices.

(control vented to atmosphere)

Graphs Represent Results From CIT

SEAL MATIC PIVOT® END GUN VALVE

| PART NO. | DESCRIPTION | LIST |
|------------|------------------------------|--------|
| SMV75PEG | 3/4" w/Auto Drain and Plug | 93.50 |
| SMV1PEG | 1" w/Auto Drain and Plug | 93.50 |
| SMV1.25PEG | 1 1/4" w/Auto Drain and Plug | 110.00 |
| SMV1.5PEG | 1 1/2" w/Auto Drain and Plug | 110.00 |

SEAL MATIC® BASIC VALVE

| PART NO. | DESCRIPTION | LIST |
|----------|--------------------|--------|
| SMV75B | 3/4" Basic w/Plugs | 88.00 |
| SMV1B | 1" Basic w/Plugs | 88.00 |
| SMV1.25B | 1 1/4" w/Plugs | 105.50 |
| SMV1.5B | 1 1/2" w/Plugs | 105.50 |

SEAL MATIC™ PIVOT END GUN VALVE

| PART NO. | DESCRIPTION | LIST |
|------------|------------------------------|--------|
| SMV2PEG | 2" w/Auto Drain and Plug | 142.00 |
| SMV902PEG | 2" 90° w/Auto Drain and Plug | 142.00 |
| SMVX100PEG | 2" X-100 End Gun Valve | 161.00 |


SEAL MATIC™ BASIC VALVE

| PART NO. | DESCRIPTION | LIST |
|----------|----------------------|--------|
| SMV2B | 2" Basic w/Plugs | 130.00 |
| SMV902B | 2" 90° Basic w/Plugs | 130.00 |

SEAL MATIC™ ELECTRIC ON/OFF VALVE

| PART NO. | DESCRIPTION | LIST |
|-----------|-----------------------------------|--------|
| SMV2WS | 2" w/Solenoid | 371.00 |
| SMV902WS | 2" 90° w/Solenoid | 371.00 |
| SMVX100WS | 2" X-100 End Gun Valve w/Solenoid | 428.00 |

REPLACEMENT PIVOT POINT



PIVOT POINT

| PART # | DESCRIPTION | LIST |
|---|---|----------|
| 7072101120 | Pivot Point REplacement with Valley Adapter | 4,466.70 |
| <ul style="list-style-type: none"> • Works with many styles of pivot models and is a direct replacement for most Valley models • Economical replacement for storm damaged machines • Ideal for used or rebuilt spans to irrigate corners or oddly-shaped fields • Works with existing pivot pad and anchor bolts for Valley foundations • Hot dipped galvanized steel • Directly connects to 6-5/8" first span pipe | | |



END TOWER AUTO REVERSE/STOP

| PART# | DESCRIPTION | LIST |
|--|----------------------|----------|
| 3047300802 | Complete Kit | 1,194.40 |
| 3049300803 | Tower Box Only | 275.65 |
| 3047300350 | Control Arm Assembly | 918.75 |
| <ul style="list-style-type: none"> • Allows pivot to auto reverse or stop from any tower on the machine • Unique four-piece control arm configuration for ease of shipping and assembly • Adjustable for broader base beams | | |



END OF FIELD TRIGGER

| PART# | DESCRIPTION | LIST |
|--|-------------|--------|
| 7071513004 | Assembly | 780.95 |
| <ul style="list-style-type: none"> • Economical replacement or addition to existing installation • Adjustable height to fit any pivot brand • Hot dipped galvanized steel to fight corrosion • Two-piece uprights are easy to ship, assemble and install | | |

SENNINGER® SPRINKLERS



i-WOB@2

| PART # | LIST |
|------------------|---------------------------|
| IWOB2xxxB3UP3 | Std. Angle 9 Groove Black |
| IWOB2xxxB3SA6UP3 | Std. Angle 6 Gr. Grey |
| IWOB2xxxB3LA9UP3 | Low Angle 9 Gr. Blue |
| IWOB2xxxB3LAUP3 | Low Angle 6 Gr. White |



Xi-WOB

| PART # | LIST |
|------------------|--------------------|
| XIWOBxxxB3610UP3 | 6 Groove 10° Blue |
| XIWOBxxxB3615UP3 | 6 Groove 15° Black |
| XIWOBxxxB3910UP3 | 9 Groove 10° Grey |



XCEL-WOBBLER

| PART # | LIST |
|-----------------|-----------------------|
| XWOBxxxB3TOPUP3 | 3/4" top-of-pipe Blue |



LDN LEPA BUBBLERS

| PART # | LIST |
|----------|---------------------------|
| LDN UP3® | Bubbler Assembly |
| LDN UP3® | Wide Spray Bubbler Assem. |
| LDN LEPA | Shroud w/ Bubbler Insert |
| LDN® | Low Drift Nozzle |



LDN DYNAMIC DRIVE

| PART # | LIST |
|---------------|--------------------------------|
| LDNDDxxxTLP3G | Top of Pipe Low Pressure White |
| LDNDDxxxTHP2G | Top of Pipe High Pressure Blue |
| LDNDDxxxDLP3G | Drop Low Pressure Green |
| LDNDDxxxDHP3G | Drop High Pressure Orange |



PIVOT-MASTER® IMPACTS

| PART # | DESC. | LIST |
|----------------|------------------|------|
| 3006H13MPMXXXH | 1.87 - 4.35 gpm | |
| 4006H13MPMXXXH | 3.80 - 7.70 gpm | |
| 5006H13NPNXXXH | 6.20 - 16.0 gpm | |
| 5006H23MPMXXXH | 11.34 - 36.0 gpm | |



GOOSENECKS

| PART # | DESCRIPTION | LIST |
|------------|-----------------|------|
| GNAP180X6B | 180° MPT x Barb | |
| GNAP180X6M | 180° MPT x MPT | |
| GNAP125DB | 125° MPT x Barb | |
| GNAP125DM | 125° MPT x MPT | |



PRESSURE REGULATORS

| PART # | DESCRIPTION | LIST |
|----------|-------------|------|
| PSR-2-10 | 10 psi | |
| PSR-2-15 | 15 psi | |
| PSR-2-20 | 20 psi | |



FITTINGS

| PART # | DESCRIPTION | LIST |
|---------|-----------------|------|
| FTA3M3B | 3/4" MPT x Barb | |
| FTA3F3B | 3/4" FPT x Barb | |
| FTN33 | 3/4" Nipple | |
| FTV3F3M | 3/4" Ball Valve | |

PIVOT BOOTS AND PIVOT DRAIN



Stainless steel band with cadmium plated bolt



PIVOT BOOTS

| PART # | SIZE | LIST |
|-----------|--------------|--------|
| 710-45 | 4 1/2" x 12" | 35.00 |
| 710-60-16 | 6" x 16" | 52.00 |
| 710-68-12 | 6 5/8" x 12" | 70.00 |
| 710-68-16 | 6 5/8" x 16" | 65.70 |
| 710-80-16 | 8" x 16" | 104.10 |
| 710-88-16 | 8 5/8" x 16" | 112.00 |

CLAMPCO™ BOOT CLAMPS

| PART # | LIST | |
|----------|---------------------|-------|
| 712-45 | 4 5/8" - 4 15/16" | 5.50 |
| 712-50H | 5 5/32" - 5 7/16" | 10.40 |
| 712-60H | 6 5/32" - 6 7/16" | 9.40 |
| 712-68H | 6 15/16" - 7 1/4" | 10.95 |
| 712-80H | 8 9/32" - 8 9/16" | 10.50 |
| 712-88H | 8 7/8" - 9 1/2" | 17.15 |
| 712-100H | 10 5/32" - 10 7/16" | 13.50 |

LINDSAY PIVOT BOOTS

| PART # | SIZE | LIST |
|---------|-----------------|--------|
| 711-59 | 5 9/16" | 51.50 |
| 711-68 | 6 5/8" x 7 1/2" | 86.90 |
| 711-68L | 6 5/8" x 10" | 130.35 |
| 711-80 | 8" | 150.00 |



V-DRAIN™ VALLEY TYPE

| PART # | DESCRIPTION | LIST |
|--------|------------------|------|
| 601-20 | 1" Plastic Drain | 9.65 |
| 601-11 | Plastic Base | 6.15 |
| 601-12 | Metal Cap | 6.45 |
| 601-08 | Rubber Star | .90 |

Z-DRAIN™ LINDSAY TYPE

| PART # | DESCRIPTION | LIST |
|--------|--------------------|-------|
| 601-30 | 7/8" Plastic Drain | 11.35 |
| ZDBASE | Plastic Base | 5.90 |
| 601-12 | Metal Cap | 6.45 |
| 601-08 | Rubber Star | .90 |

PIERCE™ BRIDGE DRAIN

| PART # | DESC. | LIST |
|--------|-------------|------|
| 701-01 | Rubber Top | 7.50 |
| 701-02 | Insert Seat | 3.10 |
| 701-03 | Nut | 3.10 |
| 701-04 | Cap | 4.50 |



STAR DRAIN

| PART # | DESCRIPTION | LIST |
|--------|---------------|------|
| 601-22 | 1" Star Drain | 9.50 |
| 601-11 | Metal Base | 6.15 |
| 601-12 | Metal Cap | 6.45 |
| 601-08 | Rubber Star | .90 |

MUSHROOM DRAINS

| PART # | DESCRIPTION | LIST |
|--------|-------------------|------|
| 101-13 | Long Shank | 1.10 |
| 101-16 | Double Headed | 1.10 |
| 101-12 | Domed Slow Drain | 1.35 |
| 101-11 | Knobby Fast Drain | 1.35 |

CLAMPS

| PART # | DESCRIPTION | LIST |
|----------|------------------|------|
| 614-5924 | 24" Wraplock | 3.25 |
| 308-075 | #10 Worm Gear | .47 |
| 271R | 3/4" Crimp Clamp | .20 |

PIVOT COMPONENTS AND BOOMBACKS



DROP HOSE

| PART # | DESC. | LIST |
|------------|-------------------|------|
| 2175-75250 | 3/4" x 250' Black | |
| 2170-75250 | 3/4" x 250' Red | |
| 6072008120 | 3/4" x 360' Blue | |




BALL VALVE

| PART # | DESC. | LIST |
|---------|----------------|------|
| BVX-075 | 3/4" FPT x MPT | |



GALVANIZED GOOSENECK

| PART # | DESC. | LIST |
|--------|----------------|------|
| 75GN75 | 3/4" MPT x FPT | 7.00 |



10' HOSE BOOM

| PART # | DESC. | LIST |
|---------------------------|--------|------|
| MST-HBR-A17 | 6 5/8" | |
| Part-Circle Specific Boom | | |



15' HOSE BOOM

| PART # | DESC. | LIST |
|-------------|--------|------|
| MST-HBR-C17 | 6 5/8" | |




ALUMINUM GOOSENECK

| PART # | DESC. | LIST |
|-------------|---------------------|------|
| MEL-211-18A | 3/4" MPT x MPT | |
| MEL-152-18A | 3/4" MxF 1" Tube | |
| MEL-211-12A | 3/4" MxM 125° | |
| MIS-211-12A | 3/4" MxM 12" Spread | |



RIGID HOSE DROP

| PART # | DESC. | LIST |
|-------------|---------------|------|
| MST-RH7-084 | 6 5/8" x 84" | |
| MST-RH7-120 | 6 5/8" x 120" | |



10' CORN BOOM



| PART # | DESC. | LIST |
|-------------|--------|------|
| MST-HBR-A17 | 6 5/8" | |



10' IDAHO BOOM

| PART # | DESC. | LIST |
|-------------|------------|------|
| MST-IOB-A17 | With Brace | |
| MST-IOO-A17 | Less Brace | |

PIVOT GASKETS



PIERCE TYPE PIVOT GASKETS

| PART # | SIZE | LIST |
|---------|----------------|------|
| 714-68 | 6 5/8" | 6.00 |
| 407-100 | 10" Triple Lip | 6.60 |

PIERCE TYPE TRIPLE LIP PLUS

| PART # | SIZE | LIST |
|---------|------------------|-------|
| 714-80 | 8" Internal Lube | 15.00 |
| 714-80X | 8" External Lube | 18.00 |
| 402-80 | 8" | 6.30 |

PLASTIC T FLANGE

| PART # | SIZE | LIST |
|----------|---------|-------|
| 725-50P | 5" | 15.00 |
| 725-5916 | 5 9/16" | 15.00 |
| 725-60P | 6" | 15.00 |
| 725-68P | 6 5/8" | 12.50 |
| 725-80P | 8" | 23.50 |
| 725-100P | 10" | 30.00 |



6 HOLE + 2


| PART # | DESCRIPTION | LIST |
|--------|---|-------|
| 718-68 | 6 5/8" x 10" x 3/4" Holes | 15.00 |
| | Should fit Gifford Hill & most 6 5/8" Flanges | |
| 719-68 | 6 5/8" x 10" x 3/4" Holes | 15.00 |
| | Should Fit Lindsay - extra top hole | |

6 HOLE

| PART # | DESCRIPTION | LIST |
|--------|--|-------|
| 721-45 | 4 1/2" x 7 1/2" x 1/2" Holes Should Fit Pierce | 7.50 |
| 721-60 | 6" x 9 1/4" x 5/8" Holes Should Fit Valley & Moulton | 12.65 |
| 721-68 | 6 5/8" x 10 3/4" x 3/4" Holes Should Fit T-L | 17.15 |
| 717-68 | 6 5/8" x 10" x 11/16" Holes Should Fit Pringle, Reinke & Others | 15.00 |

8 HOLE

| PART # | DESCRIPTION | LIST |
|--------|---|-------|
| 722-50 | 5" x 8" x 1/2" Holes Should Fit Heib | 10.00 |
| 722-65 | 6 1/2" x 11" x 3/4" Holes Should Fit Sargeant | 18.00 |
| 722-68 | 6 5/8" x 10" x 7/16" Holes Should Fit Wade Old Style | 15.00 |
| 722-80 | 7 7/8" x 10 7/8" x 11/16" Holes Should Fit Raincat | 15.00 |



VALLEY TYPE 8 HOLE

| PART # | DESCRIPTION | LIST |
|--------|------------------|-------|
| 723-68 | 6 5/8" x 10 3/8" | 16.15 |
| 723-88 | 8 3/8" x 11 3/8" | 27.75 |

RING TYPE

| PART # | DESCRIPTION | LIST |
|--------|-----------------|-------|
| 724-68 | 6 5/8" x 8 7/8" | 12.50 |

4 HOLE SQUARE

| PART # | DESCRIPTION | LIST |
|--------|-------------|------|
| 722-45 | 4 1/4" x 7" | 8.00 |